

## Punjab University of Technology Rasul (M.B. Din)


### Clarifications Regarding Tenders to be opened on 19-09-2023


#### A- General Clarification

The Mode of procurement of all the 10 packages is Single Stage Two Envelope, Least Evaluated Cost, Accumulated Cost basis. Which means a prospective bidder has to quote all the items of one package. Successful bidder will be awarded one full package.

Pre-Delivery inspection/ demonstration at any location is mandatory at bidder/ supplier's cost.

#### B- Clarification to the queries

Query	Clarifications
Can we submit bid security in form of bank guaranty ?	As per bid documents mentioned in ITB clause 2.3.7, you can submit bank guarantee or CDR
Your payment will be made through AG office or local university account ?	Through Account Office Mandi Bahauddin
Please mention tentative payment time (Days)	Normally 30 days after final approval of goods supplied, and after receipt of relevant complete documents from supplier for payment.
Please mention about funds (released or not)	Funds released by Finance Department Punjab
In computers HDMI & VGA both comes only in 22" LED Monitor, can we quote 18.5" LED with single HDMI or VGA port ?	Different brands of LEDs 18.5" have input signals HDMI + VGA
<b>1. Package Name: Equipments for Geotechnical (Package # PUT/PMU/2023-24/07)</b> <b>Item No. 7</b> Specs are not for Mechanical Compactor. They have copied from the sieve shaker by mistake. Kindly update the specs of Automatic Mechanical Compactor.	Thanks for your point regarding clarification Specs were mistakenly pasted same as of sieve shaker. Automatic Mechanical Compactor specs are given as under: <b>Automatic Mechanical Compactor with accessories</b> Hammer weight: 4.536Kg±0.009 Kg Hammer head: dia. 98.5 mm Specimen cylinder dimension: 101.6 x 63.5 mm Drop height: 457.2 mm Compact frequency: 60 RPM Compact time range: 0-999 times
<b>2. Package Name: Equipments for Hydrology &amp; Irrigation (Package # PUT/PMU/2023-24/10)</b> <b>Item No. 2 (Irrigation Displays (Sprinkler &amp; Tickle Systems))</b> This item is very small and a market item. As also mentioned in the tender name this is just for display and is less than 20000. How can it have manual and Manufacturing Authorization. Reference picture is attached herewith 	Thanks again for your point regarding clarification For this package no condition of amount was fixed for Manufacturer's Authorization letter. Hence the condition remains unchanged.

<p><b>3. Package Name: Equipments for Hydrology &amp; Irrigation (Package # PUT/PMU/2023-24/10)</b>  <b>Item No. 5 (Evaporation pans with hook gauges)</b>  This item is very small and a market item. How can it have manual and Manufacturing Authorization. Reference picture is attached herewith</p> 	<p>Thanks again for your point regarding clarification  <b>Evaporation pans with hook gauge</b> is item number 04.  As the picture shows that this item is combination of pans with measuring part. Manual for use of measuring item is required. And this item should be product of regular manufacturer which needs Manufacturer's Authorization letter. Hence the condition remains unchanged.</p>
<p>With the reference of your tender no : Package No: PUT/PMU/2023-24/04 We need some clarification of required switch I have search in many brand to required your network switch unfortunately, your specification is not a match for such as many brand , can you please guide us to the brand which is get the specification for made the tender your prompt response will be highly appreciated.  ITEM NO .05 Network Switch (02 switch per lab) QTY 06  24 x 10/100/1000Base-T ports, 4 x GE SFP ports (POE/POE+ Power from all downlink ports)  RAM≥512MB  Flash≥512MB  Switching capacity: 55 Gbps or more  Forwarding performance: <b>48</b> Mpps or more  Available 370W POE power supply or more  4K VLAN  32K MAC Address  QinQ, LACP, STP, RSTP, MSTP, RRPP, ERPS, LLDP, Jumbo Frames  Static Routing, RIP, RIPng, OSPF, OSPFv3, ipv6 routes,  PBR, DHCP Server/Client/Relay  4K ARP entries  4K IPv4 routes  Support IGMP v1/v2/v3, IGMPv1/v2/v3 snooping, PIM-DM, PIM-SM and MSDP  IPv4 multicast routes 1K, IPv6 multicast routes 1K  Stacking support up to 8 switches  VRRP, DLDP, Smart link, Monitor link, EFM and CFM  Support mac authentication and 802.1x authentication Defense against UDP flood, TCP SYN flood, ICMP flood and packet fragment</p>	<p>Thanks for your query about tender no : Package No: PUT/PMU/2023-24/04  There is typo-mistake about Forwarding performance. Forwarding performance have been typed <b>48</b> Mpps or more which is wrong. It <b>41</b> Mpps or more. It is clarified that forwarding performance should be read as 41 in place of 48. There are many Gartner manufacturer of this switch such as cisco, h3c, Huawei  Specification please be read as under:.  ITEM NO .05 Network Switch (02 switch per lab) QTY 06  24 x 10/100/1000Base-T ports, 4 x GE SFP ports (POE/POE+ Power from all downlink ports)  RAM≥512MB  Flash≥512MB  Switching capacity: 55 Gbps or more  Forwarding performance: <b>41</b> Mpps or more  Available 370W POE power supply or more  4K VLAN  32K MAC Address  QinQ, LACP, STP, RSTP, MSTP, RRPP, ERPS, LLDP, Jumbo Frames  Static Routing, RIP, RIPng, OSPF, OSPFv3, ipv6 routes,  PBR, DHCP Server/Client/Relay  4K ARP entries  4K IPv4 routes  Support IGMP v1/v2/v3, IGMPv1/v2/v3 snooping, PIM-DM, PIM-SM and MSDP  IPv4 multicast routes 1K, IPv6 multicast routes 1K  Stacking support up to 8 switches  VRRP, DLDP, Smart link, Monitor link, EFM and CFM  Support mac authentication and 802.1x authentication Defense against UDP flood, TCP SYN flood, ICMP flood and packet fragment attacks, ARP packet rate limiting CLI</p>

<p>attacks, ARP packet rate limiting CLI and Web interface (HTTPS), Telnet, SSH v2, SNMP v1, v2, and v3, eMDI Support Automation with SDN Controller, NETCONF and YANG Support ITU-T G.8032, ITU-Y.1731, IEEE 802.1D, 802.1P, 802.1Q, 802.1ad, 802.3ab, 802.3ad, 802.3ah, 802.1ab, RFC792, RFC 959, RFC 1305, RFC 1981 and RFC2131. The vender should be in leader position of 2022 wired and wireless LAN Access Gartner Report 1 year warranty with Highest Level of Principal Support. Manufacturer Authorization Letter is Mandatory.</p>	<p>and Web interface (HTTPS), Telnet, SSH v2, SNMP v1, v2, and v3, eMDI Support Automation with SDN Controller, NETCONF and YANG Support ITU-T G.8032, ITU-Y.1731, IEEE 802.1D, 802.1P, 802.1Q, 802.1ad, 802.3ab, 802.3ad, 802.3ah, 802.1ab, RFC792, RFC 959, RFC 1305, RFC 1981 and RFC2131. The vender should be in leader position of 2022 wired and wireless LAN Access Gartner Report 1 year warranty with Highest Level of Principal Support. Manufacturer Authorization Letter is Mandatory.</p>
<p>With reference to the tender for Package/ lot No. 14 Equipments for Electrical Circuit &amp; Electronics Lab and Package/ lot No. 17 Equipments for Measuring Instruments Lab and due on 25-09-2023 as advertised, we have noted a discrepancy in the specified procurement method. The advertisement states that the Mode of Procurement is Two Stage Two Envelope procedures. However, upon reviewing the first page of the tender documents, it appears that the Mode of Procurement is listed as Single Stage Two Envelope procedures. We kindly request clarification regarding the accurate Mode of Procurement for the above-mentioned tenders. This clarification is essential to ensure that all interested parties have a clear understanding of the procurement process and can proceed accordingly.</p>	<p>For the Package/ lot No. 14 Equipments for Electrical Circuit &amp; Electronics Lab as given in advertisement the Mode of Procurement is Two Stage Two Envelope procedures. One first page the mode of procurement has been mistakenly written. In the bidding document mode of procurement described is also Two Stage Two Envelope. Please read it as Two Stage Two Envelope procedures. Corrected documents have been uploaded on <a href="http://www.putrasul.edu.pk">www.putrasul.edu.pk</a> under tab Tenders.</p>
<p>This has the rerefence of the above on captioned subject. As you have called Samples of the both furniture lots. it is requested in your good self that there are 17 items in Lot -1 and 37 items in Lot-2. due to shortest period to opening the bids and the majority of the items will be made according the specification and unavailable readymade in market. The Cost of Samples are also in million and majority of contractors/Suppliers/Manufacturers will not be particepate in these Tenders and it will not be competition according your expectation. this is fact that the tender will be given to the best supplier/manufacture whow achieve the highest marks and Best samples and we suggest the following items for samples calling to produce on the date of opening of bids.</p>	<p>Thanks for your query about tender No: PUT/PMU/2023-24/01 and PUT/PMU/2023-24/02  All samples are required as per bid document for each package of furniture, i.e., package no. 01 and package no. 02. Hence please submit sample as per note given in section-III Technical specifications, which is reproduced as under: <b>“Note: It is mandatory for Bidder to provide the samples of goods at PUT Rasul before opening of bid.”</b></p>

<p>Lot # 1 Furniture and fixture for Academic Block-2 (PUT/PMU/2023-24/01)</p> <p>lot s.#                    item name</p> <p>01.                    Chair Armlet</p> <p>05                    Lab Stoor</p>	
<p>Lot # 2 Furniture and fixture for Academic Block-2 (PUT/PMU/2023-24/02)</p> <p>lot s.#    item name</p> <p>06.    Office Table 4'x2.5'x2.5'</p> <p>07.    Office Chair</p> <p>16.    Seminar Hall Chairs</p> <p>21.    Reading Chair</p> <p>37    Executive Table with Side Rack 2</p>	<p>Hence please submit sample as per note given in section-III Technical specifications, which is reproduced as under:</p> <p><b>“Note: It is mandatory for Bidder to provide the samples of goods at PUT Rasul before opening of bid.”</b></p>
<p>There is confusion in Lot # 1 Furniture and fixture for Academic Block-2 (PUT/PMU/2023-24/01)</p> <p>Item number 05 wood type to use acacia or pine.</p> <p>Item number 06 spacing of 1”x1”x1/16”</p> <p>Item number 08 horizontal beam length 230mm</p> <p>Item no.</p>	<p>Thanks for clarification confusion in Lot # 1 Furniture and fixture for Academic Block-2 (PUT/PMU/2023-24/01)</p> <p>Item number 05 wood type to use is acacia.</p> <p>Item number 06 spacing of 1”x1”x1/16” is 3”.</p> <p>There is typo mistake in for item 08 horizontal beam length. Please read it 2300mm in place of 230mm</p>
<p>Reference to the subject noted above, we are pleased to inform you that we are willing to participate in the tender, but according to your tender documents, samples are necessary with technical bidding, the tender advertising date was 30 Aug 2023 and submission date is 19 Sep 2023. We are participating in all Package 1 and package 2 but according to your requirement that samples should be provided with technical bid as you know that the samples are in large quantity and few items are order to make also the cost of these samples are huge in amount so it is not possible to manufacture these samples in very short period of time. It is our humble request that we are providing you the following samples for your ready reference; further if we are lowest in tender then other samples will be provided after winning the tender for your satisfaction.</p> <p><b>Note:</b> List of samples provided with bid in package no. 1 (furniture &amp; fixture for academic block 2)</p> <p><b>Sr # 1, 2, 5, 3</b></p> <p>and in package no 2 (furniture for academic block 2)</p> <p><b>Sr # 7, 8, 9, 16, 21, 26, 27</b></p> <p>Thank you for your consideration in this regard.</p>	<p>Thanks for your query about tender No: PUT/PMU/2023-24/01 and PUT/PMU/2023-24/02</p> <p>All samples are required as per bid document for each package of furniture, i.e., package no. 01 and package no. 02.</p> <p>Hence please submit sample as per note given in specifications section remain unchanged which is reproduced as under:</p> <p><b>“Note: It is mandatory for Bidder to provide the samples of goods at PUT Rasul before opening of bid.”</b></p>
<p>Aslam Alikum</p> <p>Please Inform the how required the sample package no 1</p>	<p>Thanks for your query about tender No: PUT/PMU/2023-24/01 and PUT/PMU/2023-24/02</p>

<p>Package name Furniture &amp; Fixture Academic Block 2 AND Please Inform the how required the sample package no Package name Furniture &amp; Fixture Academic Block 2 Thanks &amp; Regards</p>	<p>All samples are required as per bid document for each package of furniture, i.e., package no. 01 and package no. 02. Hence please submit sample as per note give in specifications section which is reproduced as under: <b>“Note: It is mandatory for Bidder to provide the samples of goods at PUT Rasul before opening of bid.”</b></p>
<p>All item must be Cotted or any item be cotted</p>	<p>All items in a package must be quoted.</p>
<p>This is the continuation of our earlier email regarding Lot 1 &amp; Lot 2 (Furniture and Fixture). It is requested in your goodself that please be opened the Tender on the stipulated date and time period and after that short list the Parties on the background of their Documentary evidence and then call the samples from the short listed parties to check the Samples and this way the Physical Samples and Documentary evidence will come in your kind knowledge and your acceptable parties may be Technically qualified and open the Financial Bid of your Technically evaluated parties. This way your confusion regarding tender will be moved away and the Tenderer this objection also will finish that “how much samples to be given with Tender?”.</p>	<p>Thanks for your query about tender No: PUT/PMU/2023-24/01 and PUT/PMU/2023-24/02 All samples are required as per bid document for each package of furniture, i.e., package no. 01 and package no. 02. Hence please submit sample as per note give in specifications section which is reproduced as under: <b>“Note: It is mandatory for Bidder to provide the samples of goods at PUT Rasul before opening of bid.”</b></p>
<p>1. At <b>Section-III Technical Specifications of tender documents</b> (copy of relevant page attached), A <b>Note</b> is given that It is mandatory to present pre-delivery demonstration / inspection to the procuring agency at bidder’s cost. It is explained that suppliers who will supply products foreign OEMs cannot fulfil this clause as items will be manufactured in OEM country and items will at delivered to University premises after custom clearance formalities. You are therefore requested to kindly remove this Note so that there is healthy competition in tenders.</p>	<p>Thanks for your query about tender No: PUT/PMU/2023-24/07 to PUT/PMU/2023-24/17. Pre-Delivery inspection/ demonstration at any location is mandatory at bidder/ supplier’s cost.</p>
<p>2. At <b>F. Bid Evaluation Criteria (5)</b>, (copy of relevant page attached), Demonstration of Repair and Maintenance Facilities is required. Also it is mentioned that Evaluation committee may demand physical demonstration. It is apprised that we will provide after sales services for the equipment we supply but physical demonstration of repair maintenance facilities is not feasible. You are therefore, requested to kindly remove this clause.</p>	<p>Again, thanks for your query. Videos in USB comprising of following are required to be supplied along with technical bid. 1. Video of manufacturer’s manufacturing products 2. Video of demonstration of product Video of Repair and maintenance site engaged in repair and maintenance.</p>
<p>There is some problem in the Tender of " Equipment for Engineering Mechanics Labs (Civil &amp; Mechanical), Package # PUT/PMU/2023-24/08</p>	<p>Thanks for your query. Model No MS8217 and YF3220 have been mistakenly typed by the expert. These model Nos. should be considered as deleted please. Quote item equivalent to or higher in specifications for both items i.e., 24 Digital</p>

<p>Item number 24 and 25 Digital Multimeter. Both have the same specs but different model numbers written in the names.</p>	<p>multimeter and 25 as Analog Multimeter instead of digital multimeter.</p>
<p>Regarding the tenders due on September 19th and 25th, 2023, we kindly request clarification concerning Section 8.8 Technical Bid Form. Specifically, we seek confirmation regarding the inclusion of the Item Name with the Specification. Could you please specify whether the specification to be provided should pertain to the required specifications or the offered specifications? Your guidance in this matter would greatly assist our bid preparation process. Thank you for your prompt attention to this inquiry</p>	<p>Form 8.8 Comprises of Two forms (tables), i.e., Form-I Technical bid form and Form II Commentary Form. In form -I, bidder will write specifications which he/ she is quoting/ offering and in other columns will write the relevant information i.e., Quantity along with unit, Country of origin, Quoted brand with country of manufacturer, Make &amp; Model. In Form-II, you have to write demanded specifications of items in left column. Next to write the specifications of item you are offering and, in the variations column, the conformity of specifications of quoted item with offered item.</p>
<p>Difference in Quantity of any item between Section-III Technical specifications and Section-VII Schedule of Requirements</p>	<p>Thanks for your query about tender. It is clarified that any difference in Quantity of any item between Section-III Technical specifications and Section-VII Schedule of Requirements:</p> <p>The quantity mentioned in Section-III Technical Specifications will prevail, i.e., Quantity in Schedule of requirements may please be read as per quantity in Technical Specifications. Similarly, if there is contradiction in the contents of advertisement and bid documents, then Contents of Advertisement will prevail.</p>
<p>Can we quote selective items?</p>	<p>It is clarified that for a package you have to quote all items of that package. No selective item(s) allowed.</p>
<p>Can we quote an Alternative for an item allowed?</p>	<p>Any alternate specification is not allowed for an item.</p>
<p>Can we quote multiple Options against one item?</p>	<p>Optional items are not allowed against one item.</p>